



E9



Specifications



E9

Basic parameters	
Length (mm)	8940
Width (mm)	2420
Height (mm)	3295
Wheelbase (mm)	4850
Tire	265/70R19.5
Max speed	80
Max number of seats	20+1
Max passenger capacity	60
Max manufacturer's total mass (kg)	14300
Front axle/dual rear axles(kg)	5000/9300
Floor type	Low entry
New energy power system	
Battery (kWh)	255.02
Rated power (kW)	120
Max gradeability	14% (15km/h, 20s)
Dual-plug	●
Charging power (300kW)	●
Emergency Assist for Pedal Misapplication (EAPM)	●
Intelligent power control	●
Seat	
Wheelchair area	●
Yutong standard driver seat	●

Interior		
Driver enclosure		●
Wheelchair ramp		●
Roof hatch		●
Exterior		
Passenger door		1
Single-layer side window glass		●
Manual driver window		●
Ordinary front windshield glass		●
A/C		
Cooling-only	● Cooling capacity: 26000Kcal/h	
Passenger door air curtain		●
Electric heating defroster		●
Chassis		
Front axle		Molead
Drive axle		Molead
Air suspension		●
Steering wheel		RHD
EPB		●
Safety and driving assistance system		
Electronic Braking System (EBS)		●
Driver Drowsiness and Attention Warning (DDAW)		●
Audio-video entertainment and lighting		
Headlamp, LED		●

● Standard ○ Optional — N/A



Yutong Bus Co. Ltd.

Yutong Marketing Center Economic and Technological Development Zone Zhengzhou China

Tel: +86 371 6671 8999 Website: www.yutong.com E-mail: sales@yutong.com Follow us on Facebook & Twitter & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. October 2025 Edition.