



**E9**



# Specifications



E9

| Basic parameters                                 |                   |
|--|-------------------|
| Length (mm)                                      | 8940              |
| Width (mm)                                       | 2420              |
| Height (mm)                                      | 3295              |
| Wheelbase (mm)                                   | 4850              |
| Tire   | 265/70R19.5       |
| Max speed  | 80                |
| Max number of seats                              | 20+1              |
| Max passenger capacity                           | 60                |
| Max manufacturer's total mass (kg)               | 14300             |
| Front axle/dual rear axles(kg)                   | 5000/9300         |
| Floor type                                       | Low entry         |
| New energy power system                          |                   |
| Battery (kWh)                                    | 255.02            |
| Rated power (kW)                                 | 120               |
| Max gradeability                                 | 14% (15km/h, 20s) |
| Dual-plug  | ●                 |
| Charging power (300kW)                           | ●                 |
| Emergency Assist for Pedal Misapplication (EAPM) | ●                 |
| Intelligent power control                        | ●                 |
| Seat   |                   |
| Wheelchair area                                  | ●                 |
| Yutong standard driver seat                      | ●                 |

| <b>Interior</b>                                |                                 |
|--|---------------------------------|
| Driver enclosure                               | ●                               |
| Wheelchair ramp                                | ●                               |
| Roof hatch                                     | ●                               |
| <b>Exterior</b>                                |                                 |
| Passenger door                                 | 1                               |
| Single-layer side window glass                 | ●                               |
| Manual driver window                           | ●                               |
| Ordinary front windshield glass                | ●                               |
| <b>A/C</b>                                     |                                 |
| Cooling-only                                   | ● Cooling capacity: 26000Kcal/h |
| Passenger door air curtain                     | ●                               |
| Electric heating defroster                     | ●                               |
| <b>Chassis</b>                                 |                                 |
| Front axle                                     | Molead                          |
| Drive axle                                     | Molead                          |
| Air suspension                                 | ●                               |
| Steering wheel                                 | RHD                             |
| EPB  | ●                               |
| <b>Safety and driving assistance system</b>    |                                 |
| Electronic Braking System (EBS)                | ●                               |
| Driver Drowsiness and Attention Warning (DDAW) | ●                               |
| <b>Audio-video entertainment and lighting</b>  |                                 |
| Headlamp, LED                                  | ●                               |

● Standard ○ Optional – N/A



### Yutong Bus Co. Ltd.

Yutong Marketing Center Economic and Technological Development Zone Zhengzhou China

Tel: +86 371 6671 8999 Website: [www.yutong.com](http://www.yutong.com) E-mail: [sales@yutong.com](mailto:sales@yutong.com) Follow us on Facebook & X & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. October 2025 Edition.